

0598/2

ROUTING AND TRANSMITTAL SLIP

Date 3/25/85 ✓

TO: (Name, office symbol, room number, building, Agency/Post)		Initials	Date
1.	C/HOME/OL		
2.			
3.			
4.			
5.			

Action	File	Note and Return
Approval	For Clearance	Per Conversation
As Requested	For Correction	Prepare Reply
Circulate	For Your Information	See Me
Comment	Investigate	Signature
Coordination	Justify	

REMARKS

#1 - FOR ACTION

DD/A REGISTRY
FILE: 45-17(PLS PREPARE RESPONSE FOR THE DDA'S
SIGNATURE.)

SUSPENSE: 5 APRIL 1985

DO NOT use this form as a RECORD of approvals, concurrences, disposals,
statements and similar actions

	Room No.—Bldg.
	Phone No.

5041-102

☆ GPO : 1983 O - 381-529 (301)

OPTIONAL FORM 41 (Rev. 7-76)
Prescribed by GSA
FPMR (41 CFR) 101-11.206

ADMINISTRATIVE - INTERNAL USE ONLY

GENERAL

85-370/1

ROUTING AND RECORD SHEET

SUBJECT: (Optional)

Space for the Signal Analysis Division
of the Office of SIGINT Operations

DD/A Registry

85-370/1

FROM:

John H. Stein
Inspector General

NO.

DATE

21 MAR 1985

TO: (Officer designation, room number, and
building)

DATE

OFFICER'S
INITIALSCOMMENTS (Number each comment to show from whom
to whom. Draw a line across column after each comment.)1. DDA
7 D 18
HQS

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

12.

13.

14.

15.

FORM
1-79610 USE PREVIOUS
EDITIONS

ADMINISTRATIVE - INTERNAL USE ONLY

GPO : 1983 O - 411-632

Page Denied

Sanitized Copy Approved for Release 2010/11/10 : CIA-RDP88G00186R000800920006-1

TRANSMITTAL SLIP		DATE
TO: DDA		
ROOM NO.	BUILDING	
REMARKS: DDA Copies		
FROM:		
ROOM NO.	BUILDING	EXTENSION

FORM NO. 241
1 FEB 55

REPLACES FORM 36-8
WHICH MAY BE USED.

(47)

Sanitized Copy Approved for Release 2010/11/10 : CIA-RDP88G00186R000800920006-1

DD/A REGISTRY

DD/A Registry
85-0598/LFILE: 45-17

7 MAR 1985

MEMORANDUM FOR: Deputy Director for Science and Technology

FROM: Harry E. Fitzwater
Deputy Director for Administration

SUBJECT: Additional Space for the Signal Analysis
Division, OSO

REFERENCE: Memo for DDA frm DD&ST dtd 15 Feb 85, Same
Subject

1. Your request to approximately double the size of the existing space allocation to SAD/OSO in the GE-02 Headquarters area has been received and added to other pending requests for additional space in the Headquarters building. This request for [] sq. ft. contiguous to existing SAD facilities is especially difficult because achieving it would require dislocation of the ADSTAR/Project SAFE areas.

2. At this time, a feasible plan to fulfill the SAD/OSO requirement cannot be described, but the HOME Division, OL, will include this requirement along with others when it prepares the proposed Space Allocation Plan for 1987 for submission to the Headquarters Management Board. In preparation for this plan, which is due in September, the planners will meet with OSO personnel to fully discuss the requirements and possible alternatives.

3. If you or your representatives wish to contact the planners in HOME, OL, you may do so by calling []

Harry E. Fitzwater

Harry E. Fitzwater

Distribution:

Orig - Addee

2 - DDA

1 - OL/Reader

1 - OL/HOME Official

1 - OL/HOME Chrono

OL/HOME/BH/ba (3/6/85)

OL-10043-85

ROUTING AND TRANSMITTAL SLIP Date 2/20/85

TO: (Name, office symbol, room number, building, Agency/Post)	Initials	Date
1. <u>DC/HOME/OL</u>		
2. <u>C/HOME</u>		
3. <div style="border: 1px solid black; width: 150px; height: 30px; display: inline-block;"></div>		
4.		
5.		

Action	File	Note and Return
Approval	For Clearance	Per Conversation
As Requested	For Correction	Prepare Reply
Circulate	For Your Information	See Me
Comment	Investigate	Signature
Coordination	Justify	

REMARKS

#1 - FOR ACTION

(PLS PREPARE RESPONSE FOR DDA'S SIGNATURE.)

SUSPENSE: 6 MARCH 1985

cc: D/LOGISTICS

DO NOT use this form as a RECORD of approvals, concurrences, disposals, clearances, and similar actions

	Room No.—Bldg.
	Phone No.

5041-102

☆ GPO : 1981 O - 361-529 (148).

OPTIONAL FORM 41 (Rev. 7-76)
 Prescribed by GSA
 FPMR (41 CFR) 101-11.206

ROUTING AND RECORD SHEET

SUBJECT: (Optional)

Additional Space for the Signal Analysis Division
of the Office of SIGINT Operations

DD/A Registry

85-0598

FROM:

R. E. Hineman
Deputy Director for Science & Technology
Room 6E60, Headquarters

EXTENSION

NO.

DDS&T-078-85

DATE

TO: (Officer designation, room number, and building)

DATE

RECEIVED

FORWARDED

OFFICER'S
INITIALS

COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)

1.
Deputy Director for
Administration 7D24 Hqs.

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

12.

13.


14.

15.

DD/A REGISTRY
FILE: 45-17



ADMINISTRATIVE - INTERNAL USE ONLY



DDS&T-078-85

MEMORANDUM FOR: Deputy Director for Administration

FROM: R. E. Hineman
Deputy Director for Science & TechnologySUBJECT: Additional Space for the Signal Analysis
Division of the Office of SIGINT Operations

[REDACTED]

1. In the initial planning for the new Headquarters Building, the Signal Analysis Division (SAD) of the Office of SIGINT Operations was allocated [REDACTED] square feet. Subsequently, it was decided that SAD would not move to the new building but that the equivalent space to that planned for SAD in the new building, i.e. [REDACTED] square feet, would be provided in the present Headquarters Building. Including the new spaces now being renovated for SAD, the total area of the current Headquarters spaces will be [REDACTED] square feet (some 5,000+ square feet short of that agreed to). These estimates have been discussed with [REDACTED] of HOME/OL.

2. Since providing the estimate for the size of the area required for SAD, a new initiative for the division has been included in the DCI's FY-86 program. For your planning, this new initiative will necessitate additional space. The new initiative includes a fifty percent growth in the number of people and a comparable growth in the laboratory area over a six-year period. Thus, in planning the space requirements for SAD, it is to be assumed that SAD will require a total of [REDACTED] square feet (or [REDACTED] square feet in addition to the spaces it currently occupies). These additional spaces are to be contiguous to the current spaces to provide the interconnectivity required for multidisciplinary analysis and computer system networking. [REDACTED]

3. If you or your staff have any questions, you may contact my representative on this subject, [REDACTED] on extension [REDACTED]

[REDACTED]

R. E. Hineman

ADMINISTRATIVE - INTERNAL USE ONLY